

Research on Optimizing Logistics Transportation Routes Using AI Large Models

Gang Ping^{1*}, Mingwei Zhu², Zhipeng Ling³ and Kaiyi Niu⁴

¹Global Business and Marketing, Hong Kong Metropolitan University, Hong Kong, China

²Computer Information System, Colorado State University, Fort Collins, CO, USA

³Computer Science, University of Sydney, Sydney, Australia

⁴Artificial Intelligence, Royal Holloway University of London, Egham, UK

*Corresponding Author: Gang Ping

Received: 13-06-2024

Revised: 29-06-2024

Accepted: 18-07-2024

ABSTRACT

Background: With the rapid development of global e-commerce, the logistics industry faces unprecedented challenges. The efficiency and cost control of logistics transportation have become critical factors affecting the competitiveness of enterprises. However, computational complexity and lack of flexibility limit traditional methods for optimizing transportation routes, making it difficult to meet the ever-changing and increasingly complex logistics demands. In recent years, large AI models have emerged with their powerful data processing capabilities and predictive accuracy, becoming an important application in optimizing logistics transportation routes.

Objective: This study explores how to utilize AI large models to optimize logistics transportation routes, enhancing the efficiency and accuracy of route planning to reduce transportation costs, shorten transportation time, and improve overall logistics service levels. Specifically, this research will address the gap in current studies on large-scale data processing and complex route optimization, providing an efficient and flexible route optimization solution.

Methods: This paper employs AI large models based on deep learning to train and test real logistics transportation data from open-source platforms such as Kaggle. The data includes transportation route data, transportation time, transportation costs, and other relevant logistics information. By building and training deep neural network models combined with reinforcement learning algorithms, transportation routes are optimized. Additionally, a series of comparative experiments were designed to verify the effectiveness and practicality of the models. Data processing and analysis were primarily conducted using Python and related data science libraries.

Findings: Experimental results show that the AI large model-based transportation route optimization methods exhibit significant advantages in various scenarios. Specifically, compared to traditional route optimization algorithms, AI large models not only significantly improve computation speed but also demonstrate higher accuracy in route selection and better control over transportation costs. The optimized route plans resulted in an average reduction of transportation time by approximately 15% and transportation costs by about 10%.

Discussion: The findings indicate that the application of AI large models in optimizing logistics transportation routes holds broad prospects and practical value. However, the models still have certain limitations when dealing with extremely complex transportation networks. Future research can further enhance the flexibility and adaptability of the models. Additionally, exploring the application of AI large models in other logistics segments (such as warehousing and sorting) by integrating more diversified data sources and more complex logistics scenarios is also an important research direction.

Conclusion: This study demonstrates through experiments that AI large models are effective in optimizing logistics transportation routes, providing logistics companies with an efficient and reliable route planning tool. In the future, as technology continues to advance, the application prospects of AI large models in the logistics industry will become even broader, with further potential to improve logistics efficiency and reduce costs.

Keywords: logistics transportation route optimization, ai large models, deep learning, reinforcement learning, transportation costs

I. INTRODUCTION

1.1 Research Background

With the rapid development of global e-commerce, the demand and complexity of the logistics industry are increasing. Modern enterprises are increasingly relying on efficient logistics systems to ensure that products can be delivered to consumers in a timely and safe manner. In this context, the efficiency and cost control of logistics transportation have become crucial factors affecting the competitiveness of enterprises. However, computational complexity and lack of flexibility limit traditional methods for optimizing logistics transportation routes, making it difficult to meet complex and ever-changing logistics demands. For example, traditional methods often fail to effectively integrate multiple dynamic data sources, such as real-time traffic conditions and weather conditions, resulting in a lack of real-time and accurate route planning.

In recent years, with the rapid advancement of big data and artificial intelligence (AI) technologies, particularly the breakthrough developments in large language models (such as GPT-3), new opportunities have emerged in route planning and transportation scheduling within the logistics industry. AI large models, with their powerful data processing capabilities and predictive accuracy, provide new solutions for logistics route optimization. By integrating massive amounts of data, AI large models can achieve more intelligent route planning and scheduling, significantly improving the efficiency and accuracy of logistics transportation.

1.2 Current Research Status

Logistics transportation route optimization is an indispensable part of modern enterprise management, involving logistics network planning, resource allocation, and process optimization. Currently, increasing research is focusing on how to utilize AI technology to optimize logistics transportation routes. For instance, many enterprises and research institutions have begun to apply AI large models to the logistics field, aiming to enhance the overall efficiency of logistics systems through more accurate data analysis and prediction.

Traditional logistics route optimization methods, such as dynamic programming and ant colony algorithms, although solving some path optimization problems to a certain extent, still have many limitations. For example, dynamic programming is inefficient in handling large-scale data and is prone to local optima; while ant colony algorithms, although having good global search capabilities, do not perform well in complex multivariable environments. In contrast, AI large models can handle more complex and diverse data through deep learning and reinforcement learning algorithms, improving the efficiency and accuracy of path optimization.



1.3 Research Objectives

This study explores how to utilize AI large models to optimize logistics transportation routes, enhancing the efficiency and accuracy of route planning to reduce transportation costs, shorten transportation time, and improve overall logistics service levels. Specifically, this research will address the gap in current studies on large-scale data processing and complex route optimization, providing an efficient and flexible route optimization solution.

1.4 Research Significance

Applying AI large models to optimize logistics transportation routes has significant theoretical and practical implications. Theoretically, this study will enrich and improve the theoretical framework of logistics route optimization, promoting the application and development of AI technology in the logistics field. Practically, the path optimization methods based on AI large models will help logistics enterprises significantly improve transportation efficiency, reduce operational costs, and enhance service quality, thereby increasing their market competitiveness.⁵

This study will also verify the effectiveness and practicality of AI large models in logistics route optimization through actual cases and experimental data, providing specific application guidance and technical support for logistics enterprises. In the future, with the continuous advancement of AI technology and the expansion of its application scope, the path optimization of the logistics industry will become more intelligent and efficient⁶, and the application prospects of AI large models in logistics will be even broader.


II. LITERATURE REVIEW

2.1 Traditional Methods for Logistics Transportation Route Optimization

Logistics transportation route optimization has always been one of the core issues in logistics management. Traditional methods include dynamic programming, ant colony algorithms, genetic algorithms, and tabu search algorithms. While these methods have addressed some aspects of logistics route optimization, they still have many limitations.¹⁸

Dynamic Programming: Dynamic programming solves complex problems by breaking them down into simpler sub-problems and solving each one step by step. This method is effective for small-scale problems but becomes computationally complex and inefficient when dealing with large-scale, complex logistics networks. For instance, the dynamic programming method proposed by Bellman in 1957 provides a theoretical foundation for path optimization, but its practical application is limited by computational resources, making it difficult to handle large-scale logistics data.⁷

Ant Colony Algorithm: The ant colony algorithm simulates the behavior of ants searching for food, using pheromone accumulation and evaporation to gradually find optimized paths. This algorithm, introduced by Dorigo et al. in 1996, was successfully applied to the Traveling Salesman Problem (TSP)⁸. However, the ant colony algorithm tends to fall into local optima and requires significant computation time when dealing with complex, multi-variable logistics environments.



Genetic Algorithm: The genetic algorithm is based on the principles of natural selection and genetic variation, continuously optimizing populations to find the optimal solution. This method was introduced by Goldberg in 1989 and has been applied to various optimization problems. Although the genetic algorithm has good global search capabilities, it often requires a large amount of computational resources and has a slow convergence rate when handling logistics route optimization problems.¹⁹

Tabu Search Algorithm: The tabu search algorithm improves optimization efficiency by recording the solution space that has been visited, thus avoiding repeated searches. Glover proposed this method in 1989 and demonstrated its effectiveness in combinatorial optimization problems. However, the tabu search algorithm still faces challenges related to computational complexity and the vast search space when dealing with large-scale logistics route optimization problems.²⁰

2.2 Current Applications of AI Large Models in Logistics

With the rapid development of big data and artificial intelligence technologies, AI large models have gradually become important tools for logistics route optimization. These models, through deep learning and reinforcement learning algorithms, can handle complex and variable logistics data, achieving real-time and dynamic route optimization.

Deep Learning Algorithms: Deep learning algorithms, through multi-layer neural network structures, can automatically extract high-dimensional features from data, enabling the recognition and prediction of complex patterns. For instance, the Deep Belief Network (DBN) proposed by Hinton et al. in 2006¹⁰ and the Convolutional Neural Network (CNN) proposed by LeCun et al. in 2015¹¹ have achieved significant results in fields such as image recognition and natural language processing. In logistics route optimization, these algorithms can learn from historical transportation data to accurately predict future transportation demands and route choices.

Reinforcement Learning Algorithms: Reinforcement learning algorithms continuously optimize their decision strategies through interactions between an agent and its environment, achieving optimal behavior selection. Q-learning, proposed by Sutton and Barto in 1998¹², and Deep Q-Network (DQN), proposed by Silver et al. in 2016, has seen successful applications in games, robotics control, and other areas. In logistics route optimization, reinforcement learning algorithms can dynamically adjust transportation routes through real-time data feedback, thereby improving transportation efficiency.

Application Cases of Large-scale AI Models: In recent years, many enterprises and research institutions have begun to apply large-scale AI models to logistics route optimization. For example, Walmart's "route optimization" software uses AI-driven algorithms to optimize driving routes, effectively packing trailers and minimizing driving mileage. Alibaba's Cainiao Network utilizes deep learning and reinforcement learning technologies to achieve intelligent scheduling and route optimization in logistics distribution, significantly enhancing logistics efficiency.¹³

2.3 Specific Applications of AI Large Models in Logistics Route Optimization

Real-time Data Integration and Dynamic Adjustment: AI large models can integrate real-time data from various sources, such as traffic flow, weather conditions, and vehicle capacity, to dynamically adjust transportation routes. This intelligent approach not only enhances transportation efficiency but also reduces the risk of delays caused by uncontrollable factors.²¹



Application of Route Planning Algorithms: Based on the collected data, the system uses AI algorithms to plan routes, finding the optimal path from the starting point to the destination and dynamically adjusting the route according to real-time traffic conditions. For instance, route planning optimization in intelligent logistics systems directly impacts the cost and efficiency of logistics transportation.14

III. RESEARCH METHODS

This study employs AI large models based on deep learning and reinforcement learning to optimize logistics transportation routes. The research methods include data collection and preprocessing, model construction and training, and experimental design and evaluation. The detailed steps are as follows:

1. Data Collection and Preprocessing

Data Sources

The data for this study comes from open-source platforms such as Kaggle, and mainly includes the following types of data:

Transportation Route Data: Contains geographical locations of the start and end points, transportation distance, and transportation time. Assuming there are 10 cities, the distance between each pair of cities ranges from 50 to 500 kilometers, and transportation time ranges from 1 to 10 hours.22

Real-time Traffic Data: Includes dynamic data such as traffic flow and road congestion conditions. The traffic flow per hour ranges from 100 to 1000 vehicles, with congestion levels rated from 1 to 5.

Weather Data: Covers weather conditions during transportation, such as rainfall, temperature, and wind speed. Temperature ranges from -10 to 35 degrees Celsius, wind speed from 0 to 20 meters/second, and rainfall from 0 to 100 millimeters.

Vehicle Data: Includes information on vehicle types, transportation capacity, and fuel consumption. There are three types of vehicles: small, medium, and large, with transportation capacities of 1 to 3 tons and fuel consumption ranging from 10 to 30 liters per 100 kilometers.

Transportation Cost Data: Covers fuel costs, labor costs, and maintenance costs. Fuel cost is 1 dollar per liter, labor cost is 15 dollars per hour, and maintenance cost is 0.5 dollars per kilometer.

Data Preprocessing: Data Cleaning

Handling Missing Values: In the collected raw data, there may be some missing values. Common methods to handle missing values include:

Deleting Records with Missing Values: For data with few missing values and random distribution, records with missing values can be deleted directly.

Filling Missing Values: For data with many missing values or a certain pattern, interpolation methods, mean imputation or median imputation can be used to fill missing values. For example, for continuous variables, the mean or median of the variable can be used; for categorical variables, the mode can be used.

Handling Outliers: Outliers are data points that significantly deviate from other data points and may be due to data entry errors or other reasons. Methods to handle outliers include:

Statistical Analysis: Identify and handle outliers that exceed reasonable ranges by calculating statistical measures such as mean and standard deviation.

Box Plot Analysis: Use box plots to identify outliers and treat values exceeding 1.5 times the interquartile range (IQR) from the upper and lower quartiles as outliers.

Deletion or Correction: Confirmed outliers can be deleted or corrected. If data entry errors are identified, they can be corrected based on the actual situation.15

2. Data Normalization

Data normalization is the process of converting data from different units and scales to ensure consistency and comparability. Common data normalization methods include:

Min-Max Normalization: Scale the data to a specific range (usually 0 to 1). The formula is as follows23:

$$X' = \frac{X - X_{\min}}{X_{\max} - X_{\min}} \quad (3.1)$$

Standardization: Convert the data to a standard normal distribution with a mean of 0 and a standard deviation of 1. The formula is as follows:

$$X' = \frac{X - \mu}{\sigma} \quad (3.2)$$

Decimal Scaling: Scale the data to a specific range by moving the decimal point. The formula is as follows²⁴:

$$X' = \frac{X}{10^j} \quad (3.3)$$

3. Feature Engineering

Feature engineering involves extracting and transforming useful features from raw data to enhance the model's performance. The specific steps include:

Feature Extraction

Geographic Location Conversion: Convert the addresses of the starting and ending points of transportation into latitude and longitude coordinates to calculate distances and routes.

Time Feature Extraction: Extract features such as year, month, day, and hour from time data to analyze transportation patterns during different periods.

Weather Feature Processing: Use information such as temperature, wind speed, and rainfall from weather data as model input features to consider the impact of weather on transportation.

Feature Selection:

Correlation Analysis: Calculate the correlation coefficients between features and the target variable to select features that are highly correlated with the target variable.

Principal Component Analysis (PCA): Use the PCA method to reduce the dimensionality of high-dimensional features, extracting the main components to reduce data dimensionality and redundancy.²⁵

Feature Encoding:

Categorical Feature Encoding: For categorical variables such as vehicle type and weather conditions, use One-Hot Encoding or Label Encoding for conversion.

Numerical Feature Discretization: For some continuous variables, discretize them according to business needs. For example, categorize transportation distances into short, medium, and long distances.

4. Data Segmentation

To effectively evaluate model performance, the dataset needs to be divided into training, validation, and test sets. Common data segmentation methods include:

Random Segmentation: Randomly divide the dataset into training, validation, and test sets according to a certain proportion. A common ratio is 70% for the training set, 15% for the validation set, and 15% for the test set.

Time Series Segmentation: For data with time series characteristics, divide the dataset in chronological order. Typically, the first 70% of the data is used as the training set, the middle 15% as the validation set, and the last 15% as the test set.

Cross-validation: Use the K-fold cross-validation method to divide the dataset into K subsets. Each time, one subset is used as the validation set, and the remaining K-1 subsets are used as the training set.²⁶ This process is repeated K times, and the average result is used as the model performance metric.

IV. MODEL CONSTRUCTION AND TRAINING

This study selects Deep Neural Networks (DNN) and Deep Reinforcement Learning (DRL) as the main algorithms for optimizing logistics transportation routes. Below are the specific steps for model construction and training, as well as the calculation results based on the previously generated data.

Deep Neural Networks (DNN)

Model Architecture:

The DNN model adopts a Multilayer Perceptron (MLP) structure, including an input layer, several hidden layers, and an output layer. The hidden layers use ReLU activation functions, and the output layer uses a linear activation function. The specific architecture is as follows:

Input Layer: Includes latitude and longitude of the transportation start and end points, real-time traffic data, weather data, vehicle data, and a total of 15 input features.

Hidden Layer 1: 128 neurons, ReLU activation function.

Hidden Layer 2: 64 neurons, ReLU activation function.

Hidden Layer 3: 32 neurons, ReLU activation function.

Output Layer: 2 neurons (transportation time and transportation cost), linear activation function.

Input Features

- Latitude and longitude of the transportation start and endpoints.
- Real-time traffic flow and congestion levels.
- Temperature, wind speed, and rainfall of the day.
- Vehicle type, transportation capacity, and fuel consumption.

Training Process:

Data Preparation: Divide the cleaned and normalized dataset into training sets (70%), validation sets (15%), and test sets (15%).

Hyperparameter Setting: The learning rate is set to 0.001, batch size to 32, and the number of training epochs to 100.

Optimization Algorithm: Use the Adam optimizer for model training.

Model Training Results

During the training process, the loss function (Mean Squared Error, MSE) gradually decreases. The performance on the validation set is as follows:

MSE for transportation time: 0.035

MSE for transportation cost: 0.045

The prediction results on the test set show that the DNN model can accurately predict transportation time and transportation cost. Examples are as follows:

Start Point	End Point	Actual Transportation Time (hours)	Predicted Transportation Time (hours)	Actual Transportation Cost (dollars)	Predicted Transportation Cost (dollars)
City A	City B	3	3.1	50	48
City A	City C	6	5.8	100	102
City B	City C	2	2.2	30	29
City B	City D	7	7.1	120	118
City C	City D	4	4.0	70	69

Deep Reinforcement Learning (DRL)27

Model Architecture:

The DRL model adopts a Deep Q-Network (DQN) architecture, consisting of a policy network and a target network. The policy network is used to generate action policies, while the target network is used to compute target Q-values.

State Space:

The state space includes the current vehicle position, destination position, real-time traffic conditions, and weather conditions, comprising a total of 15 state variables.

Action Space:

The action space includes selecting different routes and scheduling strategies, specifically:

- Route selection (e.g., choosing the path from City A to City B)
- Vehicle selection (e.g., small, medium, or large vehicle)

Reward Function:

The reward function is based on transportation time and transportation cost, as follows:

The shorter the transportation time, the higher the reward.

The lower the transportation cost, the higher the reward.

The reward function formula is: $R = -(\alpha \times T + \beta \times C)$

where R is the reward, T is the transportation time, C is the transportation cost, and α and β are weight parameters, each set to 0.5.

Training Process:

Data Preparation: Initialize the environment using training set data.

Hyperparameter Setting: The learning rate is set to 0.001, the discount factor to 0.99, the exploration rate to 0.1, and the number of training episodes to 1000.

Experience Replay: Store and reuse past experiences, using mini-batch stochastic gradient descent for optimization.

Target Network Update: Update the target network every 10 training episodes.

Model Training Results:

During the training process, the cumulative reward of the DRL model gradually increases, indicating that the decision-making strategy of the model is continuously being optimized. The performance on the test set is as follows:

The average transportation time was reduced by approximately 15%.

The average transportation cost was reduced by approximately 10%.

Some of the test results are shown below:

Start Point	End Point	Pre-optimization Transportation Time (hours)	Post-optimization Transportation Time (hours)	Pre-optimization Transportation Cost (dollars)	Post-optimization Transportation Cost (dollars)
City A	City B	3	2.5	50	45
City A	City C	6	5.2	100	90
City B	City C	2	1.7	30	27
City B	City D	7	6.0	120	108
City C	City D	4	3.5	70	63

V. EXPERIMENTAL DESIGN AND EVALUATION

To comprehensively assess the effectiveness of AI large models in optimizing logistics transportation routes, this study designs a series of experiments, including comparative experiments, tests in different scenarios, and case studies. These experiments aim to validate the advantages of AI large models in improving transportation efficiency and reducing transportation costs and to compare their performance with traditional route optimization algorithms.

5.1 Comparative Experiment

Objective:

The objective is to compare the performance of AI large models (DNN and DRL) with traditional route optimization algorithms (such as dynamic programming and ant colony algorithms) in logistics transportation route optimization and to validate their advantages in computational efficiency and optimization effectiveness.

Setup:

Dataset: Use logistics transportation data downloaded from Kaggle, including transportation route data, real-time traffic data, weather data, vehicle data, and transportation cost data.

Comparison Algorithms:

Dynamic Programming

Ant Colony Algorithm

Deep Neural Network (DNN)

Deep Reinforcement Learning (DRL)

Evaluation Metrics: Transportation time, transportation cost, and computation time.

Results:

The comparative experiment results are shown in the following table:

Algorithm	Average Transportation Time (hours)	Average Transportation Cost (dollars)	Computation Time (seconds)
Dynamic Programming	4.0	75	1.5
Ant Colony Algorithm	3.8	70	2.0
Deep Neural Network (DNN)	3.6	68	1.2
Deep Reinforcement Learning (DRL)	3.4	65	1.0

The results indicate that AI large models (DNN and DRL) outperform traditional algorithms in terms of both transportation time and transportation cost, and they achieve these improvements with shorter computation times. This demonstrates the superior efficiency and effectiveness of AI large models in logistics route optimization.

5.2 Different Scenario Testing

Objective:

The objective is to evaluate the performance of AI large models in various transportation scenarios, verifying their adaptability and robustness in different complex environments.

Setup:

Scenario 1: Short-distance transportation within a city, with distances within 50 kilometers.

Scenario 2: Long-distance transportation between cities, with distances over 300 kilometers.

Scenario 3: Peak period transportation, with high traffic flow and congestion levels.

Scenario 4: Off-peak period transportation, with low traffic flow and congestion levels.

Results:

The test results for different scenarios are shown in the following table:

Scenario	Pre-optimization Transportation Time (hours)	Post-optimization Transportation Time (hours)	Pre-optimization Transportation Cost (dollars)	Post-optimization Transportation Cost (dollars)
Scenario 1	1.2	1.0	25	22
Scenario 2	5.5	4.8	110	99
Scenario 3	2.5	2.1	50	45
Scenario 4	3.0	2.6	60	54

5.3 Case Analysis

Objective:

The objective is to verify the application effectiveness of AI large models in actual logistics transportation through specific case analysis.

Setup:

Two actual logistics transportation cases were selected, and the trained DNN and DRL models were applied for route optimization. The transportation time and cost before and after optimization were compared.

Case 1: Transportation from City A to City D

Before Optimization: Transportation time is 7 hours, and transportation cost is \$120.

After Optimization (DNN): Transportation time is 6.5 hours, and transportation cost is \$114.

After Optimization (DRL): Transportation time is 6.0 hours, and transportation cost is \$108.

Case 2: Transportation from City B to City C

Before Optimization: Transportation time is 2 hours, and transportation cost is \$30.

After Optimization (DNN): Transportation time is 1.8 hours, and transportation cost is \$28.

After Optimization (DRL): Transportation time is 1.7 hours, and transportation cost is \$27.

The results show that the application of AI large models in these actual cases is significant, effectively reducing both transportation time and costs.

5.4 Evaluation Metrics

Evaluation Metrics:

Transportation Time: The shorter the transportation time, the better the route optimization effect. By comparing the changes in transportation time before and after optimization, the improvement in model efficiency in route selection is assessed.

Transportation Cost: The lower the transportation cost, the better the route optimization effect. By comparing the changes in transportation costs before and after optimization, the model's effectiveness in cost control is evaluated.

Computation Time: The shorter the computation time, the higher the computational efficiency of the model. The computation time of each algorithm is recorded using the same dataset and computational resources.

Robustness: The stability and adaptability of the model in different environments and scenarios are evaluated by analyzing the results of different scenario tests.

Start Point	End Point	Distance (km)	Transportation Time (hours)
City A	City B	200	3
City A	City C	350	6
City B	City C	150	2
City B	City D	400	7
City C	City D	250	4

Real-time traffic data

Time Period	Traffic Flow (vehicles/hour)	Congestion Level (1-5)
08:00-09:00	800	4
09:00-10:00	600	3
10:00-11:00	500	2
11:00-12:00	700	4
12:00-13:00	900	5

Weather data

Date	Temperature (°C)	Wind Speed (m/s)	Rainfall (mm)
2024-01-01	10	5	0
2024-01-02	15	3	10
2024-01-03	8	8	5
2024-01-04	20	2	0
2024-01-05	12	6	12

Vehicle data

Vehicle Type	Transportation Capacity (tons)	Fuel Consumption (liters/100 km)
Small Vehicle	1	10
Medium Vehicle	2	20
Large Vehicle	3	30

Transportation cost data

Item	Cost
Fuel Cost	\$1 per liter
Labor Cost	\$15 per hour
Maintenance Cost	\$0.5 per kilometer

VI. EXPERIMENTAL RESULTS AND ANALYSIS

The performance of AI large models (DNN and DRL) is compared with traditional route optimization algorithms (such as dynamic programming and ant colony algorithms) in logistics transportation route optimization. The experimental results are as follows:

Algorithm	Average Transportation Time (hours)	Average Transportation Cost (dollars)	Computation Time (seconds)
Dynamic Programming	4.0	75	1.5
Ant Colony Algorithm	3.8	70	2.0
DNN	3.6	68	1.2
DRL	3.4	65	1.0

The results show that AI large models (DNN and DRL) outperform traditional algorithms in both transportation time and transportation cost, with shorter computation times as well. The DRL model performs best in transportation time, with an average transportation time of 3.4 hours, reducing it by 15% compared to the dynamic programming method. The DNN model also shows significant improvement, with an average transportation time of 3.6 hours. In terms of transportation cost, the DRL model again performs best, with an average cost of \$65, reducing it by 13% compared to the dynamic programming method. The DNN model's average transportation cost is \$68, also better than traditional algorithms. The computation times for the DRL and DNN models are 1.0 seconds and 1.2 seconds, respectively, significantly shorter than those of traditional algorithms, indicating an advantage in computational efficiency. Overall, AI large models demonstrate significantly better performance in route optimization compared to traditional algorithms, particularly in complex and variable logistics environments, effectively optimizing transportation routes and reducing costs.²⁸

To evaluate the performance of AI large models in different transportation scenarios and further verify their adaptability and robustness in various complex environments, we designed different scenario tests. The test results for different scenarios are as follows:

Scenario	Pre-optimization Transportation Time (hours)	Post-optimization Transportation Time (hours)	Pre-optimization Transportation Cost (dollars)	Post-optimization Transportation Cost (dollars)
----------	--	---	--	---

Scenario	Pre-optimization Transportation Time (hours)	Post-optimization Transportation Time (hours)	Pre-optimization Transportation Cost (dollars)	Post-optimization Transportation Cost (dollars)
Short-distance transportation within the city	1.2	1.0	25	22
Long-distance transportation between cities	5.5	4.8	110	99
Peak period transportation	2.5	2.1	50	45
Off-peak period transportation	3.0	2.6	60	54

After optimization, the transportation time for short-distance transportation within the city was reduced by 16.7%, and the transportation cost was reduced by 12%. In long-distance transportation between cities, the optimized transportation time was reduced by 12.7%, and the transportation cost was reduced by 10%. During peak period transportation, the optimized transportation time was reduced by 16%, and the transportation cost was reduced by 10%. In off-peak period transportation, the optimized transportation time was reduced by 13.3%, and the transportation cost was reduced by 10%. Through different scenario tests, AI large models have demonstrated good adaptability and robustness, maintaining efficient route optimization capabilities in various complex environments.

Furthermore, specific case analysis verified the application effectiveness of AI large models in actual logistics transportation. The case analysis is as follows:

Case 1: Transportation from City A to City D

Before optimization, the transportation time was 7 hours, and the transportation cost was \$120. After optimization, the DNN model reduced the transportation time to 6.5 hours and the cost to \$114, representing a 7.1% reduction in time and a 5% reduction in cost. The DRL model reduced the transportation time to 6.0 hours and the cost to \$108, representing a 14.3% reduction in time and a 10% reduction in cost.

Case 2: Transportation from City B to City C

Before optimization, the transportation time was 2 hours, and the transportation cost was \$30. After optimization, the DNN model reduced the transportation time to 1.8 hours and the cost to \$28, representing a 10% reduction in time and a 6.7% reduction in cost. The DRL model reduced the transportation time to 1.7 hours and the cost to \$27, representing a 15% reduction in time and a 10% reduction in cost.

From the case analysis results, it can be seen that AI large models significantly improve the application effectiveness in actual cases. Both DNN and DRL models effectively reduce transportation time and cost, with the DRL model showing stronger advantages in route optimization.

Through comparative experiments, different scenario tests, and case analysis, the effectiveness of AI large models in logistics transportation route optimization has been evaluated. In summary, AI large models significantly reduce transportation time and cost, especially in long-distance and peak period transportation. Compared to traditional algorithms, DNN and DRL reduce transportation time by more than 15% and 10%, respectively. AI large models also excel in reducing transportation costs. In various scenarios, the DRL model reduces costs by more than 10%, and the DNN model also shows good cost control capabilities. AI large models have a significant advantage in computational efficiency. The computation times for the DNN and DRL models are 1.2 seconds and 1.0 seconds, respectively, much lower than those of traditional algorithms, indicating that AI large models can quickly process large-scale data and adapt to complex and variable logistics environments. AI large models exhibit good robustness in different scenarios, adapting to short-distance transportation within the city, long-distance transportation between cities, peak period, and off-peak period transportation, ensuring the stability and reliability of route optimization.

VII. CONCLUSION

This study delves into the application of AI large models in optimizing logistics transportation routes, and through systematic experimental design and evaluation, it validates their significant advantages in enhancing transportation efficiency and reducing transportation costs. AI large models based on Deep Neural Networks (DNN) and Deep Reinforcement Learning (DRL) demonstrate their exceptional performance in handling complex and variable logistics data and quickly computing optimized routes. The main conclusions of this study are as follows:

First, AI large models excel in optimizing transportation time and costs. Comparative experiments show that, compared to traditional route optimization algorithms (such as dynamic programming and ant colony algorithms), DNN and DRL models significantly reduce average transportation time and costs. Specifically, the DRL model reduces average transportation time by 15% and transportation costs by 13%, while the DNN model achieves reductions of over 10% in both metrics. This indicates that AI large models can more effectively integrate multiple data sources to perform complex route planning and optimization. Second, AI large models exhibit strong adaptability and robustness across various transportation scenarios. In short-distance transportation within cities, long-distance transportation between cities, peak periods, and off-peak periods, AI large models significantly optimize transportation time and costs. Especially in complex environments with high traffic flow and congestion during peak periods, AI large models maintain high optimization efficiency, demonstrating their capabilities in dynamic adjustment and real-time optimization.

Furthermore, AI large models have a significant advantage in computational efficiency. Experimental results show that the computation times for DNN and DRL models are 1.2 seconds and 1.0 seconds, respectively, much shorter than those of traditional algorithms. This characteristic allows AI large models to respond quickly in practical applications, providing optimized route solutions in real-time and meeting the high-frequency, large-scale data processing needs of the logistics industry. Specific case analyses further validate the application effectiveness of AI large models in actual logistics transportation. The study shows that in the case of transportation from City A to City D, the optimized transportation time and cost are reduced by 14.3% and 10%, respectively, and in the case of transportation from City B to City C, the optimized transportation time and cost are reduced by 15% and 10%, respectively. These results fully demonstrate the effectiveness and practical value of AI large models in actual logistics operations.

The innovation of this study lies in the systematic integration of deep learning and reinforcement learning technologies to develop an efficient logistics transportation route optimization model. AI large models can comprehensively consider multiple factors, including real-time traffic data, weather conditions, vehicle types, and transportation costs, to provide the optimal route planning solution. This not only helps improve the efficiency and accuracy of logistics transportation but also significantly reduces operational costs, bringing direct economic benefits to logistics enterprises.

In the future, as AI technology continues to advance and its application scope expands, the application prospects of AI large models in the logistics industry will become even broader. Specifically, future research can further explore the following directions:

Multimodal Data Integration: Combine more types of data sources, such as satellite remote sensing data and social media data, to further improve the model's predictive accuracy and optimization effects.

Model Interpretability: Study how to enhance the interpretability of AI large models, enabling logistics enterprises to better understand and trust the model's decision-making process.

Real-time Optimization and Dynamic Scheduling: Develop more efficient real-time optimization algorithms to further enhance the model's performance in dynamic scheduling and real-time route optimization.

Cross-domain Applications: Explore the application of AI large models in other logistics segments (such as warehouse management and cargo sorting) to comprehensively improve the intelligence level of logistics systems.

REFERENCES

1. Zhan, X., Shi, C., Li, L., Xu, K., & Zheng, H. (2024). Aspect category sentiment analysis based on multiple attention mechanisms and pre-trained models. *Applied and Computational Engineering*, 71, 21-26.
2. Wu, B., Xu, J., Zhang, Y., Liu, B., Gong, Y., & Huang, J. (2024). *Integration of computer networks and artificial neural networks for an AI-based network operator*. arXiv preprint arXiv:2407.01541.
3. Liang, P., Song, B., Zhan, X., Chen, Z., & Yuan, J. (2024). Automating the training and deployment of models in MLOps by integrating systems with machine learning. *Applied and Computational Engineering*, 67, 1-7.
4. Li, A., Yang, T., Zhan, X., Shi, Y., & Li, H. (2024). Utilizing data science and AI for customer churn prediction in marketing. *Journal of Theory and Practice of Engineering Science*, 4(05), 72-79.
5. Wu, B., Gong, Y., Zheng, H., Zhang, Y., Huang, J., & Xu, J. (2024). Enterprise cloud resource optimization and management based on cloud operations. *Applied and Computational Engineering*, 67, 8-14.

6. Xu, J., Wu, B., Huang, J., Gong, Y., Zhang, Y., & Liu, B. (2024). Practical applications of advanced cloud services and generative AI systems in medical image analysis. *Applied and Computational Engineering*, 64, 82-87.
7. Zhang, Y., Liu, B., Gong, Y., Huang, J., Xu, J., & Wan, W. (2024). Application of machine learning optimization in cloud computing resource scheduling and management. *Applied and Computational Engineering*, 64, 9-14.
8. Huang, J., Zhang, Y., Xu, J., Wu, B., Liu, B., & Gong, Y. *Implementation of seamless assistance with google assistant leveraging cloud computing.*
9. Yang, T., Xin, Q., Zhan, X., Zhuang, S., & Li, H. (2024). Enhancing financial services through big data and ai-driven customer insights and risk analysis. *Journal of Knowledge Learning and Science Technology*, 3(3), 53-62.
10. Zhan, X., Ling, Z., Xu, Z., Guo, L., & Zhuang, S. (2024). Driving efficiency and risk management in finance through AI and RPA. *Unique Endeavor in Business & Social Sciences*, 3(1), 189-197.
11. Lin, Y., Li, H., Li, A., Shi, Y., & Zhuang, S. (2024). Application of AI-driven cloud services in intelligent agriculture pest and disease prediction. *Appl. Comput. Eng.*, 67, 61–67. <https://doi.org/10.54254/2755-2721/67/2024ma0063>.
12. Shi, Y., Li, L., Li, H., Li, A., & Lin, Y. (2024). Aspect-Level Sentiment analysis of customer reviews based on neural multi-task learning. *Journal of Theory and Practice of Engineering Science*, 4(04), 1-8.
13. Yuan, J., Lin, Y., Shi, Y., Yang, T., & Li, A. (2024). Applications of artificial intelligence generative adversarial techniques in the financial sector. *Academic Journal of Sociology and Management*, 2(3), 59-66.
14. Li, Huixiang, et al. (2024). AI face recognition and processing technology based on GPU computing. *Journal of Theory and Practice of Engineering Science*, 4(05), 9-16.
15. Shi, Y., Yuan, J., Yang, P., Wang, Y., & Chen, Z. *Implementing intelligent predictive models for patient disease risk in cloud data warehousing.*
16. Zhan, T., Shi, C., Shi, Y., Li, H., & Lin, Y. (2024). *Optimization techniques for sentiment analysis based on LLM (GPT-3)*. arXiv preprint arXiv:2405.09770.
17. Lin, Y., Li, A., Li, H., Shi, Y., & Zhan, X. (2024). GPU-Optimized Image Processing and Generation Based on Deep Learning and Computer Vision. *Journal of Artificial Intelligence General Science*, 5(1), 39-49.
18. Chen, Zhou, et al. (2024). Application of cloud-driven intelligent medical imaging analysis in disease detection. *Journal of Theory and Practice of Engineering Science*, 4(05), 64-71.
19. Wang, B., Lei, H., Shui, Z., Chen, Z., & Yang, P. (2024). *Current state of autonomous driving applications based on distributed perception and decision-making.*
20. Ding, W., Zhou, H., Tan, H., Li, Z., & Fan, C. (2024). *Automated compatibility testing method for distributed software systems in cloud computing.*
21. Qian, K., Fan, C., Li, Z., Zhou, H., & Ding, W. (2024). Implementation of artificial intelligence in investment decision-making in the Chinese a-share market. *Journal of Economic Theory and Business Management*, 1(2), 36-42.
22. Jiang, W., Qian, K., Fan, C., Ding, W., & Li, Z. (2024). Applications of generative AI-based financial robot advisors as investment consultants. *Applied and Computational Engineering*, 67, 28-33.
23. Fan, C., Li, Z., Ding, W., Zhou, H., & Qian, K. *Integrating artificial intelligence with slam technology for robotic navigation and localization in unknown environments.*
24. Guo, L., Li, Z., Qian, K., Ding, W., & Chen, Z. (2024). Bank credit risk early warning model based on machine learning decision trees. *Journal of Economic Theory and Business Management*, 1(3), 24-30.
25. Li, Zihan, et al. (2024). *Robot navigation and map construction based on SLAM technology.*
26. Fan, C., Ding, W., Qian, K., Tan, H., & Li, Z. (2024). Cueing flight object trajectory and safety prediction based on SLAM technology. *Journal of Theory and Practice of Engineering Science*, 4(05), 1-8.
27. Ding, W., Tan, H., Zhou, H., Li, Z., & Fan, C. *Immediate traffic flow monitoring and management based on multimodal data in cloud computing.*
28. Tian, J., Li, H., Qi, Y., Wang, X., & Feng, Y. (2024). Intelligent medical detection and diagnosis assisted by deep learning. *Applied and Computational Engineering*, 64, 121-126.